# antibodies - online.com







## anti-DNAJC12 antibody (AA 1-183)

**Images** 



$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,


Background:

Quantity:	100 μL	
Target:	DNAJC12	
Binding Specificity:	AA 1-183	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DNAJC12 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	DNAJC12 (Met1-Lys183)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DNAJC12. It has been selected for	
	its ability to recognize DNAJC12 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	DNAJC12	
Alternative Name:	DnaJ/HSP40 Homolog Subfamily C, Member 12 (DNAJC12 Products)	

Alternative Names: JDP1, J Domain Protein 1


## **Application Details**

10 10 10 10 10 10 10 10 10 10 10 10 10 1					
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.				
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated				
	thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious				
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration				
	date under appropriate storage condition.				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	Lot specific				
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.				
Preservative:	Sodium azide				
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or				
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a				
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute				
	azide-containing compounds in running water before discarding to avoid accumulation of				
	potentially explosive deposits in lead or copper plumbing.				
Handling Advice:	Avoid repeated freeze-thaw cycles.				
Storage:	4 °C				
Storage Comment:	Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.				
Expiry Date:	12 months				



### **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

Image 2. Figure.DAB staining on IHC-P. Samples: Human Tissue