

Datasheet for ABIN1868081  
**anti-GAA antibody (AA 70-245)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	100 µL
Target:	GAA
Binding Specificity:	AA 70-245
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GAA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

## Product Details

Immunogen:	GaA (Glu70-Phe245)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GaA. It has been selected for its ability to recognize GaA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

## Target Details

Target:	GAA
Alternative Name:	Glucosidase Alpha, Acid ( <a href="#">GAA Products</a> )
Background:	Alternative Names: LYAG, Acid Alpha-Glucosidase, Lysosomal Alpha-Glucosidase, Pompe

## Target Details

---

Disease Glycogen Storage Disease Type II, Acid Maltase, Aglucosidase Alfa

---

Pathways: [Cellular Glucan Metabolic Process](#)

---

## Application Details

---

Application Notes: 

- Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

---

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

---

Preservative: Sodium azide

---

Precaution of Use: **WARNING:** Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: 4 °C


---

Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

---


Expiry Date: 12 months

---



### Western Blotting

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



### Immunohistochemistry

**Image 2.** Figure. DAB staining on IHC-P. Samples: Mouse Tissue