

[Go to Product page](#)

Datasheet for ABIN1868865 **anti-Kallikrein 4 antibody (FITC)**

Overview

| | |
|--------------|--|
| Quantity: | 200 µL |
| Target: | Kallikrein 4 (KLK4) |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Kallikrein 4 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC) |

Product Details

| | |
|---------------|--|
| Immunogen: | The antibody is a rabbit polyclonal antibody raised against KLK4 conjugated to fitc. |
| Isotype: | IgG |
| Specificity: | It has been selected for its ability to recognize KLK4 in immunohistochemical staining and Western blotting. |
| Purification: | Affinity Chromatography |

Target Details

| | |
|-------------------|--|
| Target: | Kallikrein 4 (KLK4) |
| Alternative Name: | Kallikrein 4 (KLK4 Products) |
| Pathways: | Complement System |

Application Details

| | |
|--------------------|--|
| Application Notes: | Western blotting: 1:100-400 Immunocytochemistry in formalin fixed cells: 1:100-500 Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user. |
|--------------------|--|

| | |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | Lot specific |
| Buffer: | Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN ₃ , 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. |
| Handling Advice: | Avoid repeated freeze/thaw cycles |
| Storage: | 4 °C |
| Storage Comment: | Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months. |
| Expiry Date: | 12 months |