antibodies

# Datasheet for ABIN1869084 anti-MAP3K6 antibody (AA 649-907)

3 Images



### Overview

Quantity:	100 μL
Target:	MAP3K6
Binding Specificity:	AA 649-907
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAP3K6 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

## Product Details


Immunogen:	MAP3K6 (Thr649-Leu907)
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MAP3K6. It has been selected for its ability to recognize MAP3K6 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

### Target Details

Target:	MAP3K6
Alternative Name:	Mitogen Activated Protein Kinase Kinase Kinase 6 (MAP3K6 Products)
Background:	Alternative Names: MAPKKK6, ASK2, MEKK6, Apoptosis Signal Regulating Kinase 2

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1869084 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.</li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months




### Western Blotting

**Image 1.** Western Blot; Sample: Rat Serum; Primary Ab: 2µg/ml Rabbit Anti-Rat MAP3K6 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

#### Western Blotting

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



10

### Immunohistochemistry

Image 3. Figure.DAB staining on IHC-P. Samples: Rat Tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1869084 | 09/11/2023 | Copyright antibodies-online. All rights reserved.