

Datasheet for ABIN1869200
anti-CCL4 antibody (APC)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	CCL4
Reactivity:	Rabbit
Host:	Guinea Pig
Clonality:	Polyclonal
Conjugate:	This CCL4 antibody is conjugated to APC
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Macrophage Inflammatory Protein 1 Beta (MIP1b)
Immunogen:	The antibody is a rabbit polyclonal antibody raised against MIP1b.
Isotype:	IgG
Specificity:	The antibody is a cavia polyclonal antibody raised against MIP1b. It has been selected for its ability to recognize MIP1b in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CCL4
Alternative Name:	MIP1b (CCL4 Products)

Target Details

Background: CCL4, ACT2, G-26, LAG1, MIP1-B, SCYA4, Chemokine C-C-Motif Ligand 4, Small Inducible Cytokine A4, Homologous To Mouse Mip-1b

Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:250-2500 Immunohistochemistry: 5-20 µg/mL, 1:25-100 Immunocytochemistry: 5-20 µg/mL, 1:25-100 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 500 µg/mL

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Preservative: Sodium azide


Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

Handling Advice: Avoid repeated freeze/thaw cycles

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months



Western Blotting

Image 1.