

# Datasheet for ABIN1869204 anti-CCL19 antibody (AA 159-258)

100 μL

# 1 Image




#### Overview

Quantity:

Target: CCL19  Binding Specificity: AA 159-258  Reactivity: Dog  Host: Rabbit  Clonality: Polyclonal  Conjugate: This CCL19 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target: CCL19	quarity.	του με
Reactivity: Dog Host: Rabbit Clonality: Polyclonal Conjugate: This CCL19 antibody is un-conjugated Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b) Immunogen: MIP3b (Asp159-Lys258) Isotype: IgG Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography Target Details	Target:	CCL19
Host: Rabbit  Clonality: Polyclonal  Conjugate: This CCL19 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Binding Specificity:	AA 159-258
Clonality: Polyclonal  Conjugate: This CCL19 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Reactivity:	Dog
Conjugate: This CCL19 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Host:	Rabbit
Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Clonality:	Polyclonal
Product Details  Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Conjugate:	This CCL19 antibody is un-conjugated
Purpose: Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)  Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Application:	
Immunogen: MIP3b (Asp159-Lys258)  Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Product Details	
Isotype: IgG  Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Purpose:	Polyclonal Antibody to Macrophage Inflammatory Protein 3 Beta (MIP3b)
Specificity: The antibody is a rabbit polyclonal antibody raised against MIP3b. It has been selected for its ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Immunogen:	MIP3b (Asp159-Lys258)
ability to recognize MIP3b in immunohistochemical staining and western blotting.  Purification:  Antigen-specific affinity chromatography followed by Protein A affinity chromatography  Target Details	Isotype:	IgG
Target Details	Specificity:	
	Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target: CCL19	Target Details	
	Target:	CCL19

## Target Details

Alternative Name:	MIP3b (CCL19 Products)
Background:	CCL19, CKb11, ELC, MIP3-B, SCYA19, Chemokine C-C-Motif Ligand 19, Beta Chemokine
	Exodus-3, CK Beta-11, EBI1-Ligand Chemokine, Small Inducible Cytokine Subfamily A19
Pathways:	Positive Regulation of Immune Effector Process
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100
	Immunocytochemistry: 5-20 µg/mL,1:25-100 Optimal working dilutions must be determined by
	end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of
	potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months



## **Western Blotting**

Image 1.