.-online.com antibodies

Datasheet for ABIN1869290 anti-MT1E antibody (Biotin)

Alternative Name:



| Overview | |
|-----------------|--|
| Quantity: | 200 µL |
| Target: | MT1E |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MT1E antibody is conjugated to Biotin |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (IHC) |
| Product Details | |
| Immunogen: | The antibody is a rabbit polyclonal antibody raised against MT1E conjugated to biotin. |
| lsotype: | lgG |
| Specificity: | It has been selected for its ability to recognize MT1E in immunohistochemical staining and Western blotting. |
| Purification: | Affinity Chromatography |
| Target Details | |
| Target: | MT1E |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1869290 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Metallothionein 1E (MT1E Products)

Application Details

| Application Notes: | Western blotting: 1:100-400 |
|--------------------|--|
| | Immunocytochemistry in formalin fixed cells: 1:100-500 |
| | Immunohistochemistry in formalin fixed frozen section: 1:100-500 |
| | Immunohistochemistry in paraffin section: 1:50-200 |
| | Enzyme-linked Immunosorbent Assay: 1:100-200 |
| | Optimal working dilutions must be determined by end user. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. |
| Handling Advice: | Avoid repeated freeze/thaw cycles |
| Storage: | 4 °C |
| Storage Comment: | Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months. |
| Expiry Date: | 12 months |