antibodies

Datasheet for ABIN1869362 anti-MYH7B antibody (AA 829-1106)

2 Images



Overview

Quantity:	100 µL
Target:	MYH7B
Binding Specificity:	AA 829-1106
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

Product Details

Immunogen:	MYH7B (Asn829-Leu1106)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MYH7B. It has been selected for its ability to recognize MYH7B in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	MYH7B
Alternative Name:	Myosin Heavy Chain 7B, Cardiac Muscle Beta (MYH7B Products)
Background:	Alternative Names: MYH14, MHC14, Antigen MLAA-21, Myosin cardiac muscle beta chain

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1869362 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Application Details		
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	

Western Blot					
kDa 70	-	←62kDa			
44					
33					
26					
22					
18					
14					
10					

Western Blotting	

Image 1. Figure. Western Blot; Sample: Recombinant protein.

Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Human Tissue

