antibodies -online.com





anti-SEMA7A antibody (AA 318-566)

2 Images




Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Overview			
Quantity:	100 μL		
Target:	SEMA7A		
Binding Specificity:	AA 318-566		
Reactivity:	Mouse		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This SEMA7A antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	SEMA7A (Arg318-Met566)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against SEMA7A. It has been selected for its ability to recognize SEMA7A in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography		
Target Details			
Target:	SEMA7A		
Alternative Name:	Semaphorin 7A (SEMA7A Products)		
Background:	Alternative Names: CD108, CDw108, H-SEMA-K1, H-Sema-L, JMH, SEMAK1, SEMAL,		


Target Details

	Semaphorin 7A,GPI Membrane Anchor, John Milton Hagen Blood Group, Semaphorin-K1, Semaphorin-L
Pathways:	Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune
	Response, Regulation of Cell Size
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of
	potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded pancreas tissue