.-online.com antibodies

Datasheet for ABIN1870873 anti-SIAE antibody (Biotin)

Image



Overview

Quantity:	200 µL	
Target:	SIAE	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SIAE antibody is conjugated to Biotin	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA	

Product Details

Immunogen:	The antibody is a rabbit polyclonal antibody raised against SIAE conjugated to biotin.
Isotype:	lgG
Specificity:	It has been selected for its ability to recognize SIAE in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

Target Details

Target:	SIAE	
Alternative Name:	Sialic Acid Acetylesterase (SIAE Products)	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1870873 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Application Details

Application Notes:	Western blotting: 1:100-400
	Immunocytochemistry in formalin fixed cells: 1:100-500
	Immunohistochemistry in formalin fixed frozen section: 1:100-500
	Immunohistochemistry in paraffin section: 1:50-200
	Enzyme-linked Immunosorbent Assay: 1:100-200
	Optimal working dilutions must be determined by end user.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze/thaw cycles	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	

Images

Western Blot		
kDa 70		
44	-	←54kDa
33		
26		
22		
18		
14		
10		

Western	Blotting
---------	----------

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1870873 | 09/11/2023 | Copyright antibodies-online. All rights reserved.