antibodies .- online.com





anti-TLR1 antibody (AA 25-134)

3 Images

Overview



Quantity:	100 μL
Target:	TLR1

Binding Specificity: AA 25-134

Reactivity: Mouse

Host: Rabbit

Clonality: Polyclonal

Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

This TLR1 antibody is un-conjugated

Product Details

Conjugate:

Immunogen:	TLR1 (Ser25-Ile134)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TLR1. It has been selected for its ability to recognize TLR1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	TLR1
Alternative Name:	Toll Like Receptor 1 (TLR1 Products)
Background:	Alternative Names: CD281, TIL, Rsc786, Toll/interleukin-1 receptor-like protein

Target Details

Pathways:

TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Toll-Like Receptors Cascades

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:


The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of
	potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Testis Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded spleen tissue