
antibodies -online.com







anti-Thymopoietin antibody (AA 1-243)



Images



()	11	\sim	rv		۱ ۸
	1 \ /	⊢	I \/	╙	1/1

Quantity:	100 μL	
Target:	Thymopoietin (TMPO)	
Binding Specificity:	AA 1-243	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

Product Details


Immunogen:	TMPO (Met1-Leu243)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TMPO. It has been selected for its ability to recognize TMPO in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

Target Details

Target:	Thymopoietin (TMPO)	
Alternative Name:	Thymopoietin (TMPO Products)	
Background: Alternative Names: TP, LAP2, CMD1T, LEMD4, TP5, Splenin, Lamina-Associate 2,Isoforms Beta/Gamma, LEM Domain Containing 4, Thymopoietin-related pe		
	beta/gamma	


Application Details

Application Details		
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin of eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilut azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	




Western Blotting

Image 1. Western Blot; Sample: Human Lung lysate; Primary Ab: 1μg/ml Rabbit Anti-Human TMPO Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. Figure:FITC staining on IHC-P Simple: Hela cells

Please check the product details page for more images. Overall 5 images are available for ABIN1871672.