
antibodies -online.com







anti-CSH1 antibody (N-Term)





Publications



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Overview	
Quantity:	400 μL
Target:	CSH1
Binding Specificity:	AA 42-70, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSH1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	

Immunogen:	This CSH1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 42-70 amino acids from the N-terminal region of human CSH1.	
Clone:	RB41664	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	

Target Details

Target:	CSH1
Alternative Name:	CSH1 (CSH1 Products)
Background:	The protein encoded by this gene is a member of the somatotropin/prolactin family of

hormones and plays an important role in growth control. The gene is located at the growth hormone locus on chromosome 17 along with four other related genes in the same transcriptional orientation, an arrangement which is thought to have evolved by a series of gene duplications. Although the five genes share a remarkably high degree of sequence identity, they are expressed selectively in different tissues. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. This particular family member is expressed mainly in the placenta and utilizes multiple transcription initiation sites. Expression of the identical mature proteins for chorionic somatomammotropin hormones 1 and 2 is upregulated during development, although the ratio of 1 to 2 increases by term. Mutations in this gene result in placental lactogen deficiency and Silver-Russell syndrome. [provided by RefSeq].

NCBI Accession: NP_001308, NP_066271

UniProt: P01243

Pathways: Response to Growth Hormone Stimulus

Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

Format:

Buffer:

Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative:

Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

Storage: 4 °C,-20 °C

Expiry Date: 6 months

Publications

Product cited in:

Dai, Liu, Liu, Zhang, Wang, Jin, Qian, Wang, Zhao, Wu, Xiong, Chang, Sun, Yang, Hoffman, Liu: "Anti-metastatic Efficacy of Traditional Chinese Medicine (TCM) Ginsenoside Conjugated to a

VEFGR-3 Antibody on Human Gastric Cancer in an Orthotopic Mouse Model." in: **Anticancer research**, Vol. 37, Issue 3, pp. 979-986, (2017) (PubMed).

Irrthum, Karkkainen, Devriendt, Alitalo, Vikkula: "Congenital hereditary lymphedema caused by a mutation that inactivates VEGFR3 tyrosine kinase." in: **American journal of human genetics**, Vol. 67, Issue 2, pp. 295-301, (2000) (PubMed).


Galland, Karamysheva, Pebusque, Borg, Rottapel, Dubreuil, Rosnet, Birnbaum: "The FLT4 gene encodes a transmembrane tyrosine kinase related to the vascular endothelial growth factor receptor." in: **Oncogene**, Vol. 8, Issue 5, pp. 1233-40, (1993) (PubMed).

Pajusola, Aprelikova, Korhonen, Kaipainen, Pertovaara, Alitalo, Alitalo: "FLT4 receptor tyrosine kinase contains seven immunoglobulin-like loops and is expressed in multiple human tissues and cell lines." in: **Cancer research**, Vol. 52, Issue 20, pp. 5738-43, (1992) (PubMed).

Galland, Karamysheva, Mattei, Rosnet, Marchetto, Birnbaum: "Chromosomal localization of FLT4, a novel receptor-type tyrosine kinase gene." in: **Genomics**, Vol. 13, Issue 2, pp. 475-8, (1992) (PubMed).

There are more publications referencing this product on: Product page

Images



Western Blotting

Image 1. CSH1 Antibody (N-term) (ABIN1881233 and ABIN2839027) western blot analysis in NCI- cell line lysates (35 μ g/lane). This demonstrates the CSH1 antibody detected the CSH1 protein (arrow).