antibodies -online.com





anti-GRB10 antibody (N-Term)



Image



Publications



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	\square

0.0		
Quantity:	400 μL	
Target:	GRB10	
Binding Specificity:	AA 1-30, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GRB10 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This GRB10 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 1-30 amino acids from the N-terminal region of human GRB10.	
Isotype:	Ig Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	GRB10	
Alternative Name:	GRB10 (GRB10 Products)	
Background:	Adapter protein which modulates coupling of a number of cell surface receptor kinases with	
	specific signaling pathways. Binds to, and suppress signals from, activated receptors tyrosine	
	kinases, including the insulin (INSR) and insulin-like growth factor (IGF1R) receptors. The	

inhibitory effect can be achieved by 2 mechanisms: interference with the signaling pathway and increased receptor degradation. Delays and reduces AKT1 phosphorylation in response to insulin stimulation. Blocks association between INSR and IRS1 and IRS2 and prevents insulinstimulated IRS1 and IRS2 tyrosine phosphorylation. Recruits NEDD4 to IGF1R, leading to IGF1R ubiquitination, increased internalization and degradation by both the proteasomal and lysosomal pathways. May play a role in mediating insulin-stimulated ubiquitination of INSR, leading to proteasomal degradation. Negatively regulates Wnt signaling by interacting with LRP6 intracellular portion and interfering with the binding of AXIN1 to LRP6. Positive regulator of the KDR/VEGFR-2 signaling pathway. May inhibit NEDD4-mediated degradation of KDR/VEGFR-2.

Molecular Weight: 67231

NCBI Accession: NP_001001549, NP_001001550, NP_001001555, NP_005302

UniProt: Q13322

Pathways: Regulation of Carbohydrate Metabolic Process, Signaling Events mediated by VEGFR1 and VEGFR2

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Expiry Date:	6 months	


Publications

Product cited in: Choudhary, Kumar, Gnad, Nielsen, Rehman, Walther, Olsen, Mann: "Lysine acetylation targets

protein complexes and co-regulates major cellular functions." in: **Science (New York, N.Y.)**, Vol. 325, Issue 5942, pp. 834-40, (2009) (PubMed).

Dickeson, Helmkamp, Yarbrough: "Sequence of a human cDNA encoding phosphatidylinositol transfer protein and occurrence of a related sequence in widely divergent eukaryotes." in: **Gene**, Vol. 142, Issue 2, pp. 301-5, (1994) (PubMed).

Images



Western Blotting

Image 1. GRB10 Antibody (N-term) (ABIN1881389 and ABIN2843459) western blot analysis in A549,MDA-M, cell line lysates ($35 \,\mu g$ /lane).This demonstrates the GRB10 antibody detected the GRB10 protein (arrow).