antibodies - online.com







anti-HNRNPH1 antibody (N-Term)

Image

Publications



Overview

Quantity:	400 μL
Target:	HNRNPH1
Binding Specificity:	AA 48-77, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPH1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	

Product Details		
Immunogen:	This HNRNPH1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 48-77 amino acids from the N-terminal region of human HNRNPH1.	
Clone:	RB42336	
Isotype:	lg Fraction	
Predicted Reactivity:	M, Rat	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	

Target Details

Target:	HNRNPH1
Alternative Name:	HNRNPH1 (HNRNPH1 Products)

Target Details

Background:

This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM domains that bind to RNAs. It is very similar to the family member HNRPF. This gene is thought to be potentially involved in hereditary lymphedema type I phenotype. [provided by RefSeq].

Molecular Weight:

49229

NCBI Accession:

NP_001244222, NP_005511

UniProt:

P31943

Application Details

Application Notes:

WB: 1:1000

Restrictions:

For Research Use only

Handling

Forr	nat:
------	------

Liquid

Buffer:

Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

Storage:

4 °C,-20 °C

Expiry Date:

6 months

Publications

Product cited in:

Sun, Sun, Chen, Liao, He, Wang, Chen, Hu, Qiu: "microRNA-27b shuttled by mesenchymal stem cell-derived exosomes prevents sepsis by targeting JMJD3 and downregulating NF-κB signaling pathway." in: **Stem cell research & therapy**, Vol. 12, Issue 1, pp. 14, (2021) (PubMed).


Reithmair, Buschmann, Märte, Kirchner, Hagl, Kaufmann, Pfob, Chouker, Steinlein, Pfaffl, Schelling: "Cellular and extracellular miRNAs are blood-compartment-specific diagnostic targets in sepsis." in: **Journal of cellular and molecular medicine**, Vol. 21, Issue 10, pp. 2403-2411, (2018) (PubMed).

Youn, Friesen, Kishimoto, Henne, Kurat, Ye, Ceccarelli, Sicheri, Kohlwein, McMahon, Andrews: "Dissecting BAR domain function in the yeast Amphiphysins Rvs161 and Rvs167 during endocytosis." in: **Molecular biology of the cell**, Vol. 21, Issue 17, pp. 3054-69, (2010) (PubMed).

Qian, Shi, Pang, Wu, Yu, Li, Wang, Zhou: "[Identification and expression of two new secretory proteins associated with prostate cancer]." in: **Yi chuan = Hereditas / Zhongguo yi chuan xue hui bian ji**, Vol. 32, Issue 3, pp. 235-41, (2010) (PubMed).

Hwangbo, Kim, Lee, Lee: "Activation of the integrin effector kinase focal adhesion kinase in cancer cells is regulated by crosstalk between protein kinase Calpha and the PDZ adapter protein mda-9/Syntenin." in: **Cancer research**, Vol. 70, Issue 4, pp. 1645-55, (2010) (PubMed).

Images



Western Blotting

Image 1. HNRNPH1 Antibody (N-term) (ABIN1881424 and ABIN2838955) western blot analysis in NCI- cell line lysates (35 μ g/lane).This demonstrates the HNRNPH1 antibody detected the HNRNPH1 protein (arrow).