



[Go to Product page](#)

Datasheet for ABIN1881642

anti-PDCD2L antibody (AA 180-208)

1 Image

3 Publications

Overview

Quantity:	400 µL
Target:	PDCD2L
Binding Specificity:	AA 180-208
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDCD2L antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This PDCD2L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 180-208 amino acids from the Central region of human PDCD2L.
Clone:	RB40467
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	PDCD2L
Alternative Name:	PDCD2L (PDCD2L Products)
Background:	MGC13096, also known as PDCD2L, might play a role in apoptosis given evidence that over

Target Details

expression attenuates TNF alpha release in Daudi cells and restrained proliferation of HEK293T cells.

NCBI Accession: [NP_115722](#)

UniProt: [Q9BRP1](#)

Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C


Expiry Date: 6 months

Publications

Product cited in: Carrascal, Ovelleiro, Casas, Gay, Abian: "Phosphorylation analysis of primary human T lymphocytes using sequential IMAC and titanium oxide enrichment." in: **Journal of proteome research**, Vol. 7, Issue 12, pp. 5167-76, (2009) ([PubMed](#)).

Koulich, Li, DeMartino: "Relative structural and functional roles of multiple deubiquitylating proteins associated with mammalian 26S proteasome." in: **Molecular biology of the cell**, Vol. 19, Issue 3, pp. 1072-82, (2008) ([PubMed](#)).

Reuter, Medhurst, Waisfisz, Zhi, Herterich, Hoehn, Gross, Joenje, Hoatlin, Mathew, Huber: "Yeast two-hybrid screens imply involvement of Fanconi anemia proteins in transcription regulation, cell signaling, oxidative metabolism, and cellular transport." in: **Experimental cell research**, Vol. 289, Issue 2, pp. 211-21, (2003) ([PubMed](#)).



Western Blotting

Image 1. PDCD2L Antibody (Center) (ABIN1881642 and ABIN2838419) western blot analysis in MDA-M cell line lysates (35 µg/lane). This demonstrates the PDCD2L antibody detected the PDCD2L protein (arrow).