

Datasheet for ABIN1881896
anti-p53 antibody (AA 187-215)



[Go to Product page](#)

1 Image

Overview

Quantity:	400 µL
Target:	p53 (TP53)
Binding Specificity:	AA 187-215
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This p53 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This TP53 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 187-215 amino acids from the Central region of human TP53.
Clone:	RB42458
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	p53 (TP53)
Alternative Name:	TP53 (TP53 Products)
Background:	Acts as a tumor suppressor in many tumor types, induces growth arrest or apoptosis

Target Details

depending on the physiological circumstances and cell type. Involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. One of the activated genes is an inhibitor of cyclin-dependent kinases. Apoptosis induction seems to be mediated either by stimulation of BAX and FAS antigen expression, or by repression of Bcl-2 expression. Implicated in Notch signaling cross-over. Prevents CDK7 kinase activity when associated to CAK complex in response to DNA damage, thus stopping cell cycle progression. Isoform 2 enhances the transactivation activity of isoform 1 from some but not all TP53-inducible promoters. Isoform 4 suppresses transactivation activity and impairs growth suppression mediated by isoform 1. Isoform 7 inhibits isoform 1-mediated apoptosis.


Molecular Weight:	43653
NCBI Accession:	NP_000537 , NP_001119584 , NP_001119585 , NP_001119586 , NP_001119587 , NP_001119588 , NP_001119589 , NP_001119590 , NP_001263624 , NP_001263625 , NP_001263626 , NP_001263627 , NP_001263628 , NP_00126
UniProt:	P04637
Pathways:	p53 Signaling , MAPK Signaling , PI3K-Akt Signaling , Apoptosis , AMPK Signaling , Chromatin Binding , ER-Nucleus Signaling , Positive Regulation of Endopeptidase Activity , Hepatitis C , Protein targeting to Nucleus , Autophagy , Warburg Effect

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months



Western Blotting

Image 1. TP53 Antibody (Center) (ABIN1881896 and ABIN2843246) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the TP53 antibody detected the TP53 protein (arrow).