



[Go to Product page](#)

Datasheet for ABIN1881996  
**anti-VSIG2 antibody (C-Term)**

2 Images

1 Publication

### Overview

Quantity:	400 µL
Target:	VSIG2
Binding Specificity:	AA 250-278, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VSIG2 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	This VSIG2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 250-278 amino acids from the C-terminal region of human VSIG2.
Clone:	RB40640
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

### Target Details

Target:	VSIG2
Alternative Name:	VSIG2 ( <a href="#">VSIG2 Products</a> )
Background:	The function of this protein is unknown.

## Target Details

---

NCBI Accession: [NP\\_055127](#)

UniProt: [Q96IQ7](#)

## Application Details

---

Application Notes: WB: 1:1000. WB: 1:1000

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Expiry Date: 6 months


## Publications

---

Product cited in: Carrascal, Ovelleiro, Casas, Gay, Abian: "Phosphorylation analysis of primary human T lymphocytes using sequential IMAC and titanium oxide enrichment." in: **Journal of proteome research**, Vol. 7, Issue 12, pp. 5167-76, (2009) ([PubMed](#)).


Koulich, Li, DeMartino: "Relative structural and functional roles of multiple deubiquitylating proteins associated with mammalian 26S proteasome." in: **Molecular biology of the cell**, Vol. 19, Issue 3, pp. 1072-82, (2008) ([PubMed](#)).

Reuter, Medhurst, Waisfisz, Zhi, Herterich, Hoehn, Gross, Joenje, Hoatlin, Mathew, Huber: "Yeast two-hybrid screens imply involvement of Fanconi anemia proteins in transcription regulation, cell signaling, oxidative metabolism, and cellular transport." in: **Experimental cell research**, Vol. 289, Issue 2, pp. 211-21, (2003) ([PubMed](#)).



#### Western Blotting

**Image 1.** VSIG2 Antibody (C-term) (ABIN1881996 and ABIN2839009) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the VSIG2 antibody detected the VSIG2 protein (arrow).



#### Western Blotting

**Image 2.** VSIG2 Antibody (C-term) (ABIN1881996 and ABIN2839009) western blot analysis in mouse heart tissue lysates (35 µg/lane). This demonstrates the VSIG2 antibody detected the VSIG2 protein (arrow).