



Datasheet for ABIN1882005  
**anti-ZC3H11A antibody (N-Term)**



[Go to Product page](#)

3 Images

Overview

Quantity:	400 µL
Target:	ZC3H11A
Binding Specificity:	AA 38-65, N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZC3H11A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This ZC3H11A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 38-65 amino acids from the N-terminal region of human ZC3H11A.
Clone:	RB42832
Isotype:	Ig Fraction
Predicted Reactivity:	C
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ZC3H11A
Alternative Name:	ZC3H11A ( <a href="#">ZC3H11A Products</a> )

## Target Details

Background:	ZC3H11A, also known as zinc finger CCCH type containing 11A, contains 3 C3H1-type zinc fingers.
Molecular Weight:	89131
NCBI Accession:	<a href="#">NP_055642</a>
UniProt:	<a href="#">O75152</a>


## Application Details

Application Notes:	WB: 1:1000. WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only

## Handling



Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

## Images



### Western Blotting

**Image 1.** ZC3H11A Antibody (N-term) (ABIN1882005 and ABIN2843274) western blot analysis in mouse spleen tissue lysates (35 µg/lane). This demonstrates the ZC3H11A antibody detected the ZC3H11A protein (arrow).



### Western Blotting

**Image 2.** Western blot analysis of lysates from Ramos, U-937 cell line (from left to right), using ZC3H11A Antibody (N-term) (ABIN1882005 and ABIN2843274). (ABIN1882005 and ABIN2843274) was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35 µg per lane.

### Western Blotting

**Image 3.** ZC3H11A Antibody (N-term) (ABIN1882005 and ABIN2843274) western blot analysis in Ramos cell line lysates (35 µg/lane). This demonstrates the ZC3H11A antibody detected the ZC3H11A protein (arrow).