



[Go to Product page](#)

Datasheet for ABIN1882022

anti-ZNF358 antibody (N-Term)

1 Image

1 Publication

Overview

Quantity:	400 µL
Target:	ZNF358
Binding Specificity:	AA 43-69, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF358 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This ZNF358 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 43-69 amino acids from the N-terminal region of human ZNF358.
Clone:	RB40651
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ZNF358
Alternative Name:	ZNF358 (ZNF358 Products)
Background:	ZNF358 may be involved in transcriptional regulation.

Target Details

Molecular Weight:	59287
NCBI Accession:	NP_060553
UniProt:	Q9NW07
Pathways:	Stem Cell Maintenance

Application Details


Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Expiry Date:	6 months

Publications

Product cited in:	<p>Carrascal, Ovelleiro, Casas, Gay, Abian: "Phosphorylation analysis of primary human T lymphocytes using sequential IMAC and titanium oxide enrichment." in: Journal of proteome research, Vol. 7, Issue 12, pp. 5167-76, (2009) (PubMed).</p> <p>Koulich, Li, DeMartino: "Relative structural and functional roles of multiple deubiquitylating proteins associated with mammalian 26S proteasome." in: Molecular biology of the cell, Vol. 19, Issue 3, pp. 1072-82, (2008) (PubMed).</p> <p>Reuter, Medhurst, Waisfisz, Zhi, Herterich, Hoehn, Gross, Joenje, Hoatlin, Mathew, Huber: "Yeast two-hybrid screens imply involvement of Fanconi anemia proteins in transcription regulation, cell signaling, oxidative metabolism, and cellular transport." in: Experimental cell research, Vol. 289, Issue 2, pp. 211-21, (2003) (PubMed).</p>
-------------------	--



Western Blotting

Image 1. ZN Antibody (N-term) (ABIN1882022 and ABIN2838605) western blot analysis in Jurkat cell line lysates (35 µg/lane). This demonstrates the ZN antibody detected the ZN protein (arrow).