antibodies -online.com





Datasheet for ABIN1889429

CD6 ELISA Kit





Overview

Quantity:	96 tests
Target:	CD6
Binding Specificity:	AA 18-396
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	62.5-4000 pg/mL
Minimum Detection Limit:	62.5 pg/mL
Application:	ELISA

Product Details

Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Mouse CD6
Brand:	PicoKine™
Sample Type:	Cell Culture Supernatant, Serum, Plasma (heparin), Plasma (EDTA)
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Immunogen:	Expression system for standard: NSO
	Immunogen sequence: L18-G396
Specificity:	Expression system for standard: NSO
	Immunogen sequence: L18-G396
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.

Product Details

<10pg/mL Microplate reader in standard size. Automated plate washer. Adjustable pipettes and pipette tips. Multichannel pipettes are recommended in the condition of large amount of samples in the detection. Clean tubes and Eppendorf tubes. Washing buffer (neutral PBS or TBS). Preparation of 0.01M TBS: Add 1.2g Tris, 8.5g Nacl
tips. Multichannel pipettes are recommended in the condition of large amount of samples in the detection. Clean tubes and Eppendorf tubes. Washing buffer (neutral PBS or TBS). Preparation
CD6
CD6 (CD6 Products)
Protein Function: Involved in cell adhesion. Binds to CD166. Background: CD6(Cluster of Differentiation 6) is a human protein encoded by the CD6 gene. It is mapped to 11q12.2. CD6 is expressed predominantly in peripheral T cells and mature medullary thymocytes. This gene encodes a protein found on the outer membrane of T-lymphocytes as well as some other immune cells. The encoded protein contains three scavenger receptor cysteine-rich (SRCR) domains and a binding site for an activated leukocyte cell adhesion molecule. The gene product is important for continuation of T cell activation. What's more, this gene may be associated with susceptibility to multiple sclerosis. Synonyms: T-cell differentiation antigen CD6,CD6,Cd6, Full Gene Name: T-cell differentiation antigen CD6 Cellular Localisation: Cell membrane, Single-pass type I membrane protein.
12511
Q61003
Before using Kit, spin tubes and bring down all components to bottom of tube. Duplicate well assay was recommended for both standard and sample testing.
Tissue Specificity: Expressed predominantly in thymus, lymph node and spleen.
Pre-coated
mouse CD6 ELISA Kit was based on standard sandwich enzyme-linked immune-sorbent assay technology. A monoclonal antibody from rat specific for CD6 has been precoated onto 96-well plates. Standards(NSO, L18-G396) and test samples are added to the wells, a biotinylated detection polyclonal antibody from goat specific for CD6 is added subsequently and then

Application Details

followed by washing with PBS or TBS buffer. Avidin-Biotin-Peroxidase Complex was added and
unbound conjugates were washed away with PBS or TBS buffer. HRP substrate TMB was used
to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color
product that changed into yellow after adding acidic stop solution. The density of yellow is
proportional to the mouse CD6 amount of sample captured in plate.

Assay Procedure:

Aliquot 0.1 mL per well of the 4000pg/mL, 2000pg/mL, 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL mouse CD6 standard solutions into the precoated 96-well plate. Add 0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted sample of mouse cell culture supernates, serum or plasma(heparin, EDTA) to each empty well. See "Sample Dilution Guideline" above for details. It is recommended that each mouse CD6 standard solution and each sample be measured in duplicate.

Assay Precision:


- Sample 1: n=16, Mean(pg/ml): 798, Standard deviation: 33.5, CV(%): 4.2
- Sample 2: n=16, Mean(pg/ml): 1880, Standard deviation: 67.68, CV(%): 3.6
- Sample 3: n=16, Mean(pg/ml): 3505, Standard deviation: 189.27, CV(%): 5.4,
- Sample 1: n=24, Mean(pg/ml): 1036, Standard deviation: 60, CV(%): 5.8
- Sample 2: n=24, Mean(pg/ml): 2040, Standard deviation: 95.88, CV(%): 4.7
- Sample 3: n=24, Mean(pg/ml): 3487, Standard deviation: 240.6, CV(%): 6.9

Restrictions:

For Research Use only

Handling

Handling Advice:	Avoid multiple freeze-thaw cycles.
Storage:	-20 °C,4 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles
Expiry Date:	12 months



ELISA

Image 1. Mouse CD6 PicoKine ELISA Kit standard curve