
# antibodies -online.com







# anti-FCER1G antibody (AA 60-86)



#### Image



0	1 /	-	K	/1	-	1 A
u	\/	$\vdash$	I \	/ I	$\vdash$	1/1

Quantity:	200 μL
Target:	FCER1G
Binding Specificity:	AA 60-86
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FCER1G antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

## **Product Details**

Brand:	IHC-plus™
Specificity:	This FCER1G antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 60-86 amino acids from the C-terminal region of human FCER1G.
Purification:	Protein A purified
Target Details	

#### Target: FCER1G

Alternative Name: FCER1G (FCER1G Products)

Background: Name/Gene ID: FCER1G

## **Target Details**


	Synonyms: FCER1G, FceRI gamma, IgE Fc receptor subunit gamma, FcRgamma, Gamma polypeptide, Fc receptor gamma-chain, Fc-epsilon RI-gamma, FCRG
Gene ID:	2207
Pathways:	Fc-epsilon Receptor Signaling Pathway, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response

## **Application Details**

Application Notes:	Approved: IHC, IHC-P (1:75), WB (1:1000)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.
Expiry Date:	6 months



#### **Immunohistochemistry**

**Image 1.** Anti-FCER1G antibody IHC staining of human spleen. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody dilution 1:75.