



[Go to Product page](#)

Datasheet for ABIN1895477

anti-FCHSD1 antibody (C-Term)

1 Image

Overview

| | |
|----------------------|---|
| Quantity: | 50 µg |
| Target: | FCHSD1 |
| Binding Specificity: | C-Term |
| Reactivity: | Human, Mouse |
| Host: | Chicken |
| Clonality: | Polyclonal |
| Conjugate: | This FCHSD1 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC) |

Product Details

| | |
|---------------|---|
| Brand: | IHC-plus™ |
| Isotype: | IgY |
| Specificity: | Multiple isoforms of FCHSD1 are known to exist. FCHSD1 antibody is predicted to not cross-react with FCHSD2 |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|--|
| Target: | FCHSD1 |
| Alternative Name: | FCHSD1 (FCHSD1 Products) |

Target Details


| | |
|-------------|---|
| Background: | Name/Gene ID: FCHSD1 |
| | Synonyms: FCHSD1, FCH and double SH3 domains 1, NWK2, Nervous wreck homolog 2 |
| Gene ID: | 89848 |

Application Details

| | |
|--------------------|---|
| Application Notes: | Approved: ELISA, IHC, IHC-P (5 µg/mL), WB (0.5 - 1 µg/mL) |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | Lot specific |
| Buffer: | PBS, 0.02 % sodium azide |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | avoid freeze thaw cycles |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |



Immunohistochemistry

Image 1. Anti-FCHSD1 antibody IHC staining of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.