

Datasheet for ABIN1895855
anti-FHIT antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	0.05 mg
Target:	FHIT
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FHIT antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	FHIT antibody is human and mouse reactive.
Purification:	Immunoaffinity purified

Target Details

Target:	FHIT
Alternative Name:	FHIT (FHIT Products)
Background:	Name/Gene ID: FHIT

Target Details

Synonyms: FHIT, AP3Aase, Dinucleosidetriphosphatase, Fragile histidine triad, Fragile histidine triad gene, AP3A hydrolase, Bis(5-adenosyl)-triphosphatase, FRA3B, Tumor suppressor protein

Gene ID: 2272

Application Details

Application Notes: Approved: ELISA, IF (5 µg/mL), IHC, IHC-P (10 µg/mL), WB (1 - 2 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS, 0.02 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months



Immunohistochemistry

Image 1. Anti-FHIT antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.