# antibodies - online.com







## anti-SALL1 antibody (Internal Region)



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μg
Target:	SALL1
Binding Specificity:	Internal Region
Reactivity:	Human, Mouse, Rat, Dog
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This SALL1 antibody is un-conjugated
Application:	ELISA

#### Draduat Dataila

Product Details	
Purpose:	SALL1
Immunogen:	Peptide with sequence C-QDSKDTPTSHVPS, from the internal region of the protein sequence according to NP_002959.2.
Sequence:	QDSKDTPTSH VPS
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Recent

#### **Target Details**

Target:	SALL1	
Alternative Name:	SALL1 (SALL1 Products)	
Background:	SALL1, sal-like 1 (Drosophila), HSAL1, TBS, ZNF794, sal (Drosophila)-like 1, sal-like 1	
Gene ID:	6299	
NCBI Accession:	NP_002959	
Pathways:	Tube Formation	

### **Application Details**

Application Notes:	DS WB Results: Preliminary experiments gave an approx 40 kDa band in Human Umbillical
	Cord, Ovary, Placenta and Testis lysates after 0.1 µg/mL antibody staining. Please note that
	currently we cannot find an explanation in the literature for the band we observe given the
	calculated size of 140 kDa according to NP_002959.2. The 40 kDa band was successfully
	blocked by incubation with the immunizing peptide. Have any further splice variants/modified
	forms been reported?
	Peptide ELISA: antibody detection limit dilution 1:1000.

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.