

Datasheet for ABIN1920464

anti-ORC2 antibody (AA 1-50)



Go to Product page

_					
	W	0	rv	10	W

Background:

Quantity:	100 μL
Target:	ORC2
Binding Specificity:	AA 1-50
Reactivity:	Human, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ORC2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC), Immunofluorescence (IF), Proximity Ligation Assay (PLA)
Product Details	
Product Details Isotype:	IgG
	lgG Region between residue 1 and 50 of human Origin Recognition Complex, Subunit 2-like using the numbering given in entry NP_006181.1 (GeneID 4999).
Isotype:	Region between residue 1 and 50 of human Origin Recognition Complex, Subunit 2-like using
Isotype: Specificity:	Region between residue 1 and 50 of human Origin Recognition Complex, Subunit 2-like using the numbering given in entry NP_006181.1 (GeneID 4999).
Isotype: Specificity: Purification:	Region between residue 1 and 50 of human Origin Recognition Complex, Subunit 2-like using the numbering given in entry NP_006181.1 (GeneID 4999).

Name/Gene ID: ORC2

	Synonyms: ORC2, ORC2L	
Gene ID:	4999	
Application Details		
Application Notes:	Approved: IF (1:100 - 1:1000), IHC, IHC-P (1:200 - 1:1000), IP (2 - 5 μg/mg lysate), PLA (1:200 - 1:4000), WB (1:2000 - 1:10000)	
	Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Breast Carcinoma, Non-Small Cell Lung Cancer, Prostate Carcinoma.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	Store at 2-8°C for up to 1 year.	
Expiry Date:	12 months	