

Datasheet for ABIN1925665
anti-PPIG antibody (AA 450-500)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PPIG
Binding Specificity:	AA 450-500
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPIG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunoprecipitation (IP)

Product Details

Isotype:	IgG
Specificity:	Region between residue 450 and 500 of human SRcyclophilin (Peptidyl-prolyl isomerase G) using the numbering given in entry NP_004783.2 (GeneID 9360).
Purification:	Immunoaffinity purified

Target Details

Target:	PPIG
Alternative Name:	PPIG / Cyclophilin G (PPIG Products)
Background:	Name/Gene ID: PPIG

Target Details

	Synonyms: PPIG, CARS-Cyp, CARS-cyclophilin, CYP, Cyclophilin G, Clk-associating RS-cyclophilin, SCAF10, SR-cyclophilin, PPlase G, SRCyp, Peptidyl-prolyl isomerase G, Rotamase G, SR-cyp
Gene ID:	9360

Application Details

Application Notes:	Approved: IF (1:50 - 1:250), IHC, IHC-P (1:100 - 1:500), IP (2 - 5 µg/mg lysate), WB (1:2000 - 1:10000)
	Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Breast Carcinoma, Ovarian Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months