

Datasheet for ABIN1925666
anti-PPIG antibody (AA 450-500)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PPIG
Binding Specificity:	AA 450-500
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPIG antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Isotype:	IgG
Specificity:	Region between residue 450 and 500 of human SRcyclophilin (Peptidyl-prolyl isomerase G) using the numbering given in entry NP_004783.2 (GeneID 9360).
Purification:	Immunoaffinity purified

Target Details

Target:	PPIG
Alternative Name:	PPIG / Cyclophilin G (PPIG Products)
Background:	Name/Gene ID: PPIG

Target Details

	Synonyms: PPIG, CARS-Cyp, CARS-cyclophilin, CYP, Cyclophilin G, Clk-associating RS-cyclophilin, SCAF10, SR-cyclophilin, PPlase G, SRCyp, Peptidyl-prolyl isomerase G, Rotamase G, SR-cyp
Gene ID:	9360

Application Details

Application Notes:	Approved: IF (1:50 - 1:500), IHC, IHC-P (1:100 - 1:500) Usage: Immunohistochemistry: Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining. Likely to work with frozen sections. In some cases, the antibody may be diluted further than indicated. Human controls: Breast Carcinoma, Non-Small Cell Lung Cancer, Ovarian Carcinoma. Mouse controls: Renal Cell Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months