



[Go to Product page](#)

Datasheet for ABIN1934921  
**anti-SIDT2 antibody (N-Term)**

1 Image

### Overview

Quantity:	50 µg
Target:	SIDT2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIDT2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC)

### Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Multiple isoforms of SIDT2 are known to exist, this antibody is predicted to not cross-react with other members of the SID1 transmembrane family.
Purification:	Immunoaffinity purified

### Target Details

Target:	SIDT2
Alternative Name:	SIDT2 ( <a href="#">SIDT2 Products</a> )

## Target Details

---

Background: Name/Gene ID: SIDT2

Synonyms: SIDT2, CGI-40

Gene ID: 51092

## Application Details

---

Application Notes: Approved: ELISA, IHC, IHC-P (10 µg/mL), WB (0.5 - 1 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: Lot specific

Buffer: PBS, 0.02 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months



### Immunohistochemistry

**Image 1.** Anti-SIDT2 antibody IHC staining of human pancreas. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.