

## Datasheet for ABIN1952608 anti-Asparaginase antibody (HRP)



Overview

0.00.000	
Quantity:	100 µg
Target:	Asparaginase (ASPG)
Reactivity:	E. coli
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Asparaginase antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	Anti-Asparaginase Antibody was produced by repeated immunizations with E. coli
	Asparaginase protein.
	Type of Immunogen: Purified protein
Specificity:	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase,
	anti-Rabbit Serum as well as purified and partially purified Asparaginase [E. coli]. Cross
	reactivity against Asparaginase from other tissues and species may occur but have not been
	specifically determined.
Purification:	Ion exchange chromatography
Target Details	
Target:	Asparaginase (ASPG)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1952608 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	Asparaginase (ASPG Products)
Application Details	
Application Notes:	Approved: ELISA (1:10000 - 1:40000), WB (1:1000 - 1:5000)
	Usage: Anti-Asparaginase antibody is suitable for western blotting to detect a single band of the expected apparent molecular weight and for ELISA. Researchers should determine optimal titers for applications that are not stated below. The applications listed have been tested for the unconjugated form of this product. Other forms have not been tested.
Comment:	Target Species of Antibody: E. coli
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2, 1 % BSA
Handling Advice:	avoid freeze thaw cycles
Storage:	4 °C,-20 °C
Storage Comment:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze-thaw cycles. Centrifuge product before removing cap. Only dilute immediately prior to use.