



Datasheet for ABIN1956957
anti-Ceruloplasmin antibody (FITC)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	Ceruloplasmin (CP)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ceruloplasmin antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Recombinant human Ceruloplasmin protein. Type of Immunogen: Recombinant protein
Isotype:	IgG
Specificity:	Human CP / Ceruloplasmin
Purification:	Caprylic acid and ammonium sulfate precipitation

Target Details

Target:	Ceruloplasmin (CP)
Alternative Name:	CP / Ceruloplasmin (CP Products)
Background:	Name/Gene ID: CP

Target Details

Synonyms: CP, Ceruloplasmin (ferroxidase), Ceruloplasmin, CP-2, Ferroxidase

Gene ID: 1356

Pathways: [Transition Metal Ion Homeostasis](#)

Application Details

Application Notes: Approved: ELISA, IHC, IHC-P, WB

Usage: The applications listed have been tested for the unconjugated form of this product.
Other forms have not been tested.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS, pH 7.4, 0.03 % Proclin 300, 50 % glycerol.


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid freeze-thaw cycles.

Storage: -20 °C, -80 °C

Storage Comment: Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.



Immunohistochemistry

Image 1. Anti-CP / Ceruloplasmin antibody IHC staining of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 20 ug/ml. This image was taken for the unconjugated form of t ...