

Datasheet for ABIN1956962  
**anti-CST3 antibody (FITC)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µg
Target:	CST3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CST3 antibody is conjugated to FITC
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	Recombinant human Cystatin-C protein.  Type of Immunogen: Recombinant protein
Isotype:	IgG
Specificity:	Human CST3 / Cystatin C
Purification:	Caprylic acid and ammonium sulfate precipitation

## Target Details

Target:	CST3
Alternative Name:	CST3 / Cystatin C ( <a href="#">CST3 Products</a> )
Background:	Name/Gene ID: CST3

## Target Details

Synonyms: CST3, ARMD11, BA218C14.4 (cystatin C), Cystatin-3, Cystatin 3, Cystatin C, Cystatin-C, Gamma-trace, Post-gamma-globulin

Gene ID: 1471

## Application Details

Application Notes: Approved: ELISA, IHC, IHC-P, WB

Usage: The applications listed have been tested for the unconjugated form of this product.  
Other forms have not been tested.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS, pH 7.4, 0.03 % Proclin 300, 50 % glycerol.


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid freeze-thaw cycles.

Storage: -20 °C,-80 °C

Storage Comment: Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.



#### Immunohistochemistry

**Image 1.** Anti-CST3 / Cystatin C antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml. This image was taken for the unconjugated form of t ...