antibodies -online.com





anti-NDUFA1 antibody (FITC)



Image




Go to Product page

\sim			
	N/6	1//r	$I \cap V$

Quantity:	100 μg	
Target:	NDUFA1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NDUFA1 antibody is conjugated to FITC	
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))	
Product Details		
Immunogen:	Recombinant human NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1 protein.	
	Type of Immunogen: Recombinant protein	
Isotype:	IgG	
Specificity:	Human NDUFA1	
Purification:	Caprylic acid and ammonium sulfate precipitation	
Target Details		
Target:	NDUFA1	
Alternative Name:	NDUFA1 (NDUFA1 Products)	
Background:	Name/Gene ID: NDUFA1	

	Synonyms: NDUFA1, CI-MWFE, Complex I MWFE subunit, MWFE, NADH dehydrogenase, Type I	
	dehydrogenase, ZNF183, Complex I-MWFE	
Gene ID:	4694	
Application Details		
Application Notes:	Approved: ELISA, IHC, IHC-P, WB	
	Usage: The applications listed have been tested for the unconjugated form of this product.	
	Other forms have not been tested.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	
Llandling		
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, 0.03 % Proclin 300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Handling Advice:	Avoid freeze-thaw cycles.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.	



Immunohistochemistry

Image 1. Anti-NDUFA1 antibody IHC staining of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml. This image was taken for the unconjugated form of thi ...