
# antibodies - online.com







## anti-UQCRQ antibody (FITC)



Image




$\sim$					
	1//	r۱.	/ I	$\triangle$	٨

Quantity:	100 μg
Target:	UQCRQ
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UQCRQ antibody is conjugated to FITC
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details		
Immunogen:	Recombinant human Cytochrome b-c1 complex subunit 8 protein.	
	Type of Immunogen: Recombinant protein	
Isotype:	IgG	
Specificity:	Human UQCRQ	
Purification:	Caprylic acid and ammonium sulfate precipitation	
Target Details		
Target:	LIOCRO	

Target:	UQCRQ
Alternative Name:	UQCRQ (UQCRQ Products)
Background:	Name/Gene ID: UQCRQ

	Synonyms: UQCRQ, Complex III subunit VIII, Complex III subunit 8, QP-C, QCR8, UQCR7, QPC
Gene ID:	27089
Application Details	
Application Notes:	Approved: ELISA, IHC, IHC-P, WB
	Usage: The applications listed have been tested for the unconjugated form of this product.
	Other forms have not been tested.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, 0.03 % Proclin 300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Handling Advice:	Avoid freeze-thaw cycles.
Storage:	-20 °C,-80 °C
Storage Comment:	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.



### **Immunohistochemistry**

**Image 1.** Anti-UQCRQ antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 20 ug/ml. This image was taken for the unconjugated form of this product. ...