

Datasheet for ABIN197468

anti-IRS1 antibody (Ser639)

2 Images



Go to Product page

\sim			
()\	/ e	rVI	iew

Quantity:	0.1 mL		
Target:	IRS1		
Binding Specificity:	Ser639		
Reactivity:	Human, Mouse		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This IRS1 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunofluorescence (IF)		
Product Details			
Immunogen:	Synthetic non-phosphopeptide derived from human IRS-1 around the phosphorylation site of serine 639 (P-K-SP-V-S).		
Specificity:	This antibody AP02733PU detects endogenous levels of total IRS-1 protein.		
Purification:	Immunoaffinity Chromatography		
Target Details			
Target:	IRS1		
Alternative Name:	IRS1 (IRS1 Products)		
Background:	Insulin receptor substrates (IRS) are responsible for several insulin related activities, such as glucose homeostasis, cell growth, cell transformation, apoptosis and insulin signal transduction. Serine/threonine phosphorylation of IRS1 has been demonstrated to be a		

Storage Comment:

	negative regulator of insulin signaling and is responsible for its degradation, although IRS1		
	degradation pathways are not well understood. IRS1 has also been shown to be constitutively		
	activated in cancers such as breast cancer, Wilm's tumors, and adrenal cortical carcinomas,		
	thus making IRS1 phosphorylation and subsequent degradation an attractive therapeutic		
	target. To date there have been four subtypes identified: IRS1, 2, 3 and 4, with IRS1 being widely		
	expressed.Synonyms: IRS-1, Insulin receptor substrate 1		
Gene ID:	3667		
NCBI Accession:	NP_005535		
UniProt:	P35568		
Pathways:	Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling		
	Pathway, Positive Regulation of Peptide Hormone Secretion, Hormone Transport, Negative		
	Pathway, Positive Regulation of Peptide Hormone Secretion, Hormone Transport, Negative Regulation of Hormone Secretion, Response to Growth Hormone Stimulus, Carbohydrate		

	Regulation of Flormone Secretion, Response to Growth Flormone Stirridias, Garbonyurate		
	Homeostasis, Regulation of Carbohydrate Metabolic Process		
Application Details			
Application Notes:	Western blot: 1/500-1/1000. Immunofluorescence: 1/100-1/200.		
	Other applications not tested.		
	Optimal dilutions are dependent on conditions and should be determined by the user.		
Restrictions:	For Research Use only		
Handling			
Concentration:	1.0 mg/mL		
Buffer:	PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % Sodium Azide and 50 % Glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		
	should be handled by trained staff only.		
Handling Advice:	Avoid repeated freezing and thawing.		
Storage:	-20 °C		

Store the antibody (in aliquots) at -20 °C.




Image 1.




Image 2.