

### Datasheet for ABIN1980387

# anti-CD97 antibody (AA 191-304)





$\sim$		
( )\/c	r\/	lew
$O^{VC}$	- I V	$I \subset V \setminus$

Quantity:	100 μL
Target:	CD97
Binding Specificity:	AA 191-304
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

### **Product Details**


Immunogen:	CD97 (Lys191-Asn304)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD97. It has been selected for its ability to recognize CD97 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

## Target Details

Target:	CD97
Alternative Name:	Cluster Of Differentiation 97 (CD97) (CD97 Products)
Background:	Alternative Names: TM7LN1, TM7-LN1, Seven-Span Transmembrane Protein, Seven-Transmembrane, Heterodimeric Receptor Associated With Inflammation, Seven
	Transmembrane Helix Receptor

### **Application Details**

Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months
lmages	




**Western Blotting** 

Image 1.



### **Western Blotting**

**Image 2.** Western Blot; Sample: Rat Serum; Primary Ab: 5μg/ml Rabbit Anti-Rat CD97 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



### **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue