# antibodies -online.com





# anti-Fibronectin antibody (AA 2206-2337)

**Images** 



_					
U	V	er	VI	е	W

Overview		
Quantity:	100 μL	
Target:	Fibronectin	
Binding Specificity:	AA 2206-2337	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Fibronectin antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	fibronectin (Ala2206-Asp2337)	

Immunogen:	fibronectin (Ala2206-Asp2337)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FN. It has been selected for its ability to recognize FN in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

## **Target Details**

Target:	Fibronectin
- arget	
Alternative Name:	Fibronectin (FN) (Fibronectin Products)
Background:	Alternative Names: FN1, CIG, FINC, LETS, MSF, GFND2, Anastellin, Migration-Stimulating Factor,

Cold-Insoluble Globulin, Large, External, Transformation-Sensitive Protein

#### **Application Details**

#### Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

#### Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

### Handling


Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	

#### **Images**




#### **Western Blotting**

Image 1.



#### **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue



#### **Western Blotting**

**Image 3.** Western Blot; Sample: Human Urine; Primary Ab: 3μg/ml Rabbit Anti-Human FN Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)