antibodies - online.com







anti-NOTCH4 antibody (AA 1690-1945)





Go to	Produc	t page
00.0		r page

_					
U	V	er	V	Ie	W

Overview	
Quantity:	100 μL
Target:	NOTCH4
Binding Specificity:	AA 1690-1945
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NOTCH4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	

Immunogen:	NOTCH4 (Thr1690-Leu1945)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NOTCH4. It has been selected for its ability to recognize NOTCH4 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	NOTCH4
Alternative Name:	Notch Homolog 4 (NOTCH4) (NOTCH4 Products)
Background:	Alternative Names: INT3, Neurogenic locus notch homolog protein 4

Pathways:

Notch Signaling

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Images



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue