

Datasheet for ABIN1980536
anti-UBA7 antibody (AA 23-238)

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	UBA7
Binding Specificity:	AA 23-238
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBA7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	UBE1L (Glu23-Tyr238)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against UBE1L. It has been selected for its ability to recognize UBE1L in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	UBA7
Alternative Name:	Ubiquitin Activating Enzyme E1 Like Protein (UBE1L) (UBA7 Products)
Background:	Alternative Names: UBE1-L, D8, UBE2, UBA7, Ubiquitin Like Modifier Activating Enzyme 7


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Images




Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue



Immunohistochemistry

Image 3. DAB staining on IHC-P; Samples: Mouse Testis Tissue