

# Datasheet for ABIN1991251 anti-ARL2 antibody (AA 19-184) (FITC)



#### Overview

| Quantity:            | 100 μg                                   |
|----------------------|--|
| Target:              | ARL2                                     |
| Binding Specificity: | AA 19-184                                |
| Reactivity:          | Human                                    |
| Host:                | Rabbit                                   |
| Clonality:           | Polyclonal                               |
| Conjugate:           | This ARL2 antibody is conjugated to FITC |
| Application:         | Western Blotting (WB), ELISA             |

## **Product Details**

| Immunogen:        | Recombinant Human ADP-ribosylation factor-like protein 2 protein (19-184AA) |
|-------------------|---|
| Isotype:          | IgG   |
| Cross-Reactivity: | Human   |
| Purification:     | >95%, Protein G purified  |

## **Target Details**

| Target:           | ARL2   |
|-------------------|--|
| Alternative Name: | ARL2 (ARL2 Products)   |
| Background:       | Background: The ADP-ribosylation factor (Arf) family comprises a group of structurally and |
|                   | functionally conserved 21 kDa proteins, which are members of the Ras superfamily of        |

regulatory GTP-binding proteins. Arf is involved in intracellular protein traffic to and within the Golgi complex. Arf has a number of disparate activities including maintenance of organelle integrity, assembly of coat proteins, as a co-factor for cholera toxin and as an activator of phospholipase D. The Arf family is divided functionally into the Arf and the Arf-like (Arl) proteins. Arfs share more than 60 % sequence identity, appear to be ubiquitous in eukaryotes, and are highly conserved evolutionarily.

Aliases: ADP ribosylation factor like 2 antibody, ADP-ribosylation factor-like protein 2 antibody, ARFL2 antibody, Arl184 antibody, Arl2 antibody, ARL2\_HUMAN antibody

UniProt:

P36404

Pathways:

Cell-Cell Junction Organization, Maintenance of Protein Location

#### **Application Details**

| Application Notes: | Optimal working concentration should be determinde by the investigator. |
|--------------------|---|
| Restrictions:      | For Research Use only   |
| Handling           |   |
| Format:            | Liquid  |

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use:

This product contains ProClin<sup>TM</sup>: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling Advice:

Avoid repeated freeze

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.