

Datasheet for ABIN1991461 anti-Asialoglycoprotein Receptor 1 antibody (AA 68-291) (FITC)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μg	
Target:	Asialoglycoprotein Receptor 1 (ASGR1)	
Binding Specificity:	AA 68-291	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Asialoglycoprotein Receptor 1 antibody is conjugated to FITC	
Application:	Western Blotting (WB), ELISA	
Product Details		
Immunogen:	Recombinant Human Asialoglycoprotein receptor 1 protein (68-291AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	
Target Details		
Target:	Asialoglycoprotein Receptor 1 (ASGR1)	
Alternative Name:	ASGR1 (ASGR1 Products)	
Background:	Background: Mediates the endocytosis of plasma glycoproteins to which the terminal sialic acid residue on their complex carbohydrate moieties has been removed. The receptor	

recognizes terminal galactose and N-acetylgalactosamine units. After ligand binding to the receptor, the resulting complex is internalized and transported to a sorting organelle, where receptor and ligand are disassociated. The receptor then returns to the cell membrane surface. Aliases: ASGP-R 1 antibody, ASGPR 1 antibody, ASGPR antibody, ASGPR1 antibody, Asgr1 antibody, ASGR1_HUMAN antibody, Asialoglycoprotein receptor 1 antibody, C type lectin domain family 4 member H1 antibody, C-type lectin domain family 4 member H1 antibody, CLEC4H1 antibody, Hepatic lectin H1 antibody, HL-1 antibody

UniProt:

P07306

Pathways:

Thyroid Hormone Synthesis

Application Details

Application Notes:	Optimal working concentration should be determinde by the investigator.	
Restrictions:	For Research Use only	

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin TM : a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	