

Datasheet for ABIN1992251 anti-EYA2 antibody (AA 1-514) (FITC)



Overview

Quantity:	100 μg
Target:	EYA2
Binding Specificity:	AA 1-514
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EYA2 antibody is conjugated to FITC
Application:	Western Blotting (WB), ELISA
Dua duat Dataila	

Product Details

Immunogen:	Recombinant Human Eyes absent homolog 2 protein (1-514AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	EYA2
Alternative Name:	EYA2 (EYA2 Products)
Background:	Background: Functions both as protein phosphatase and as transcriptional coactivator for SIX1, and probably also for SIX2, SIX4 and SIX5. Tyrosine phosphatase that dephosphorylates \'Tyr-

142\' of histone H2AX (H2AXY142ph) and promotes efficient DNA repair via the recruitment of DNA repair complexes containing MDC1. \'Tyr-142\' phosphorylation of histone H2AX plays a central role in DNA repair and acts as a mark that distinguishes between apoptotic and repair responses to genotoxic stress. Its function as histone phosphatase may contribute to its function in transcription regulation during organogenesis. Plays an important role in hypaxial muscle development together with SIX1 and DACH2, in this it is functionally redundant with EYA1.

Aliases: EAB 1 antibody, EAB1 antibody, EYA 2 antibody, EYA transcriptional coactivator and phosphatase 2 antibody, EYA2 antibody, EYA2_HUMAN antibody, eyes absent 2 homolog (Drosophila) antibody, Eyes absent homolog 2 (Drosophila) antibody, Eyes absent homolog 2 antibody, Translation of this uORF probably lowers the translation efficiency of EYA2 antibody

UniProt:

000167

Application Details

Application Notes:	Optimal working concentration should be determinde by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin TM : a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.