

Datasheet for ABIN2018402 beta-Thromboglobulin Protein (beta-TG) (AA 46-107)



Overview

01011101	
Quantity:	25 µg
Target:	beta-Thromboglobulin (beta-TG)
Protein Characteristics:	AA 46-107
Origin:	Rat
Source:	CHO Cells
Protein Type:	Recombinant
Biological Activity:	Active
Product Details	
Characteristics:	The EC50 value of rat Thymus Chemokine-1/CXCL7 on Ca2+ mobilization assay in CHO-K1/G alpha 15/rCXCR2 cells (human G alpha 15 and rat CXCR2 stably expressed in CHO-K1 cells) is less than 300 ng/mL.
Purity:	> 97 % as analyzed by SDS-PAGE and HPLC.
Endotoxin Level:	< 0.2 EU/µg, determined by LAL method.
Target Details	
Target:	beta-Thromboglobulin (beta-TG)
Abstract:	beta-TG Products
Background:	Thymus Chemokine-1, also called Chemokine (C-X-C motif) ligand 7 (CXCL7) , is a member of the CXC chemokines. Similar to other ELR domain containing CXC chemokines such as IL-8 and the GRO proteins, Thymus Chemokine-1 has been shown to bind CXCR-2 and be a

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2018402 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

	chemoattractant forneutrophils and play a role in their activation. Although CTAP-III, beta-TG
	and PBP represent amino-terminal extended variants of Thymus Chemokine-1 and possess the
	same CXC chemokine domains, these proteins do not exhibit Thymus Chemokine-1 activity.
	Recently, it has been shown that the additional amino-terminal residues of CTAP-III mask the
	critical ELR receptor binding domain that is exposed on Thymus Chemokine-1 and may
	account for lack of Thymus Chemokine-1 activity. Rat CXCL7 shares 72 % amino acid sequence
	identity with mouse CXCL7.Recombinant rat Thymus Chemokine-1/ CXCL7 produced in CHO
	cells is a polypeptide chain containing 62 amino acids. A fully biologically active molecule,
	rrThymus Chemokine-1/CXCL7 has a molecular mass of 9.8 kDa analyzed by reducing SDS-
	PAGE.
	Synonyms: Thymus Chemokine-1,TCK-1
Molecular Weight:	9.8 kDa, observed by reducing SDS-PAGE.
UniProt:	Q99ME0
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstituted in ddH2O or PBS at 100 µg/mL.
Buffer:	Lyophilized after extensive dialysis against PBS.
Storage:	-80 °C
Storage Comment:	Lyophilized recombinant Rat Thymus Chemokine-1/CXCL7 remains stable up to 6 months at -
	80 °C from date of receipt. Upon reconstitution, Rat Thymus Chemokine-1/CXCL7 should be
	stable up to 1 week at 4 °C or up to 3 months at -20 °C.
Expiry Date:	6 months