



[Go to Product page](#)

Datasheet for ABIN202067

anti-ZFAND6 antibody (AA 125-174)

2 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | ZFAND6 |
| Binding Specificity: | AA 125-174 |
| Reactivity: | Human, Dog, Mouse, Rat, Cow, Pig, Hamster, Monkey |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZFAND6 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | Synthetic peptide located between aa125-174 of human ZFAND6 (Q6FIF0, NP_061879). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Panda, Dog, Bovine, Pig (100%), Elephant, Bat, Rabbit, Horse, Guinea pig, Platypus (92%), Opossum, Turkey, Zebra finch, Chicken (85%). Type of Immunogen: Synthetic peptide |
| Isotype: | IgG |
| Specificity: | Human ZFAND6 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Orangutan, Mouse, Rat, Bovine, Dog (100%) Chicken (85%). |

Product Details

Purification: Protein A purified

Target Details

Target: ZFAND6

Alternative Name: ZFAND6 ([ZFAND6 Products](#))

Background: Name/Gene ID: ZFAND6
Family: Zinc Finger

Synonyms: ZFAND6, AN1-type zinc finger protein 6, Associated with PRK1 protein, AWP1, Protein associated with PRK1, ZA20D3, ZFAND5B, Zinc finger, AN1-type domain 6

Gene ID: 54469

NCBI Accession: [NP_061879](#)

UniProt: [Q6FIF0](#)

Application Details

Application Notes: Approved: IHC, IHC-P (4 - 8 µg/mL), WB (2.5 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.




Image 2.