

Datasheet for ABIN202468  
**anti-TARDBP antibody (N-Term)**



[Go to Product page](#)

3 Images

## Overview

Quantity:	100 µL
Target:	TARDBP
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Guinea Pig, Pig, Chicken, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TARDBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	Synthetic peptide from N-Terminus of human TARDBP (Q13148, NP_031401). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus (100%), Orangutan (92%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human TARDBP
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Horse, Pig, Chicken (100%).

## Product Details

---

Purification: Protein A purified

## Target Details

---

Target: TARDBP

Alternative Name: TDP-43 / TARDBP ([TARDBP Products](#))

Background: Name/Gene ID: TARDBP

Synonyms: TARDBP, ALS10, TAR DNA-binding protein-43, TDP-43, TAR DNA binding protein, TAR DNA-binding protein 43, TDP43

Gene ID: 23435

NCBI Accession: [NP\\_031401](#)

UniProt: [Q13148](#)

Pathways: [Positive Regulation of Peptide Hormone Secretion](#)

## Application Details

---

Application Notes: Approved: IHC, IHC-P, WB (1.25 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: After adding water, will consist of PBS buffer with 2 % sucrose

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.




Image 2.




Image 3.