antibodies .- online.com





anti-SPDEF/PSE antibody (AA 31-80)

 $100 \, \mu L$



Image



Go to Product page

\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:

Purification:

SPDEF/PSE (SPDEF)	
SPDEF/PSE (SPDEF)	
AA 31-80	
Human, Mouse, Rat, Cow, Rabbit, Horse, Pig, Monkey, Hamster	
Rabbit	
Polyclonal	
This SPDEF/PSE antibody is un-conjugated	
Western Blotting (WB)	
Synthetic peptide located between aa31-80 of human SPDEF (095238, NP_036523). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Rabbit, Horse, Pig, Platypus (100%), Dog, Opossum (92%), Bovine (85%), Bat (83%).	
identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Rabbit, Horse, Pig, Platypus (100%), Dog, Opossum (92%), Bovine	
identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Rabbit, Horse, Pig, Platypus (100%), Dog, Opossum (92%), Bovine (85%), Bat (83%).	
identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Rabbit, Horse, Pig, Platypus (100%), Dog, Opossum (92%), Bovine (85%), Bat (83%). Type of Immunogen: Synthetic peptide	

Protein A purified

Target Details

Target:	SPDEF/PSE (SPDEF)
raryet.	
Alternative Name:	PDEF / SPDEF (SPDEF Products)
Background:	Name/Gene ID: SPDEF
	Subfamily: ETS
	Family: Transcription factor
	Synonyms: SPDEF, BA375E1.3, PDEF, RP11-375E1_A.3, Prostate-derived Ets factor, Prostate-
	Synonyms: SPDEF, BA375E1.3, PDEF, RP11-375E1_A.3, Prostate-derived Ets factor, Prostate-specific Ets, PSE
Gene ID:	
Gene ID: NCBI Accession:	specific Ets, PSE
	specific Ets, PSE 25803

Application Details

Application Notes:	Approved: WB (2.5 μg/mL)
	Not recommended for: IHC-P
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	After adding water, will consist of PBS buffer with 2 % sucrose
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.