



[Go to Product page](#)

Datasheet for ABIN204958

anti-Retinoid X Receptor gamma antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	Retinoid X Receptor gamma (RXRG)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Pig, Horse, Guinea Pig, Rabbit, Chicken, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Retinoid X Receptor gamma antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human RXRG (P48443, NP_008848). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Rabbit, Horse, Pig, Guinea pig, Turkey, Zebra finch, Chicken, Xenopus, Seabass, Medaka (100%), Monkey, Hamster, Panda, Bat, Opossum, Salmon, Stickleback, Zebrafish (92%), Tunicate (90%), Platypus, Pufferfish (84%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RXRG
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Pig, Guinea pig, Chicken (100%) Xenopus, Zebrafish (92%).

Product Details

Purification: Protein A purified

Target Details

Target: Retinoid X Receptor gamma (RXRG)

Alternative Name: RXRG ([RXRG Products](#))

Background: Name/Gene ID: RXRG
Subfamily: NR2 Hepatocyte NF4-like
Family: NHR

Synonyms: RXRG, NR2B3, Retinoid X receptor gamma, Retinoid X receptor, gamma, RXR-gamma, RXRC

Gene ID: 6258

NCBI Accession: [NP_008848](#)

UniProt: [P48443](#)

Pathways: [Nuclear Receptor Transcription Pathway](#), [Retinoic Acid Receptor Signaling Pathway](#), [Steroid Hormone Mediated Signaling Pathway](#)

Application Details

Application Notes: Approved: WB (2.5 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: After adding water, will consist of PBS buffer with 2 % sucrose

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Storage: 4 °C,-20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.