
antibodies - online.com











\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	100 μL	
Target:	MNDA	
Binding Specificity:	AA 189-405	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

Product Details


Immunogen:	MNDA (Thr189-Asn405)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MNDA. It has been selected for its ability to recognize MNDA in immunohistochemical staining and western blotting.
Characteristics:	The antibody is a rabbit polyclonal antibody raised against MNDA. It has been selected for its ability to recognize MNDA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	MNDA
Abstract:	MNDA Products


Target Details

rarget Details		
Background:	Alternative Names: PYHIN3	
Application Details		
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C/-20 °C/-80 °C	
Storage Comment:	Store at 4 °C for frequent use. Stored at -20 °C to -80 °C in a manual defrost freezer for one year without detectable loss of activity.	
Expiry Date:	12 months	



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Pancreas tissue