

Datasheet for ABIN2117830

anti-Melatonin Receptor 1A antibody (AA 216-257)





Go to Product page

_				
()	ve.	rv/	101	Λ


Quantity:	100 μL	
Target:	Melatonin Receptor 1A (MTNR1A)	
Binding Specificity:	AA 216-257	
Reactivity:	Cow	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This Melatonin Receptor 1A antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to Melatonin Receptor 1A (MTNR1A)	
Immunogen:	MTNR1A (AA 216-257)	
Sequence:	MHHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS EF- GLLNQ NFRQEYRKII VSLCTTKMFF VDSSNHVAHR IKRKPSP	
Isotype:	IgG	
Specificity:	The antibody is a mouse monoclonal antibody raised against MTNR1A. It has been selected for its ability to recognize MTNR1A in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	Melatonin Receptor 1A (MTNR1A)	
Alternative Name:	MTNR1A (MTNR1A Products)	
Background:	MT1, MEL-1A-R	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze/thaw cycles	
Storage:	4 °C,-20 °C	
Storage Comment:	tore at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without etectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	



Western Blotting

Image 1.