
antibodies -online.com







anti-XCL1 antibody (AA 23-113)





\sim					
	1//	r۱.	/ I	\triangle	٨

Overview	
Quantity:	100 μL
Target:	XCL1
Binding Specificity:	AA 23-113
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	

Immunogen:	Lptn (Gly23-Thr113)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against Lptn. It has been selected for its ability to recognize Lptn in immunohistochemical staining and western blotting.
Characteristics:	The antibody is a rabbit polyclonal antibody raised against Lptn. It has been selected for its ability to recognize Lptn in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


Target Details

Target:	XCL1	
Alternative Name:	Lymphotactin (Lptn) (XCL1 Products)	

Target Details	
Background:	Alternative Names: XCL1, SCYC1, LTN, ATAC, SCM1-A, SCM1a, LPTN, Lymphotaxin, Chemokine C-Motif Ligand 1, Small Inducible Cytokine Subfamily C,Member 1, XC chemokine ligand 1
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Activated T Cell Proliferation
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C/-20 °C/-80 °C
Storage Comment:	Store at 4 °C for frequent use. Stored at -20 °C to -80 °C in a manual defrost freezer for one year without detectable loss of activity.


12 months

Expiry Date:



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Lung tissue